

SMART CONTROL SYSTEM



Synchronize all your swimming pool lights, fountain lights and garden lights or individually control.

CONTENTS

NEW CICADA WING SERIES (ULTRA THIN)	01-04
-------------------------------------	-------

LED ABOVE GROUND POOL LIGHTS	05-06
------------------------------	-------

NEW 1-1/2" & 2" FITTING LED POOL LIGHTS	07-12
---	-------


LED SURFACE MOUNTED POOL LIGHTS & NICHE	13-22
---	-------

LED BULB & NICHE	23-26
------------------	-------

CONTROLLER & TRANSFORMER FOR POOL LIGHTS	27
--	----

LED UNDERWATER & FOUNTAIN & UNDERGROUND LIGHTS	
--	--


	28-33
--	-------



New Arrival -Cicada Wing Series (Ultra Thin)



Surface mounted



These cicada wing series LED surface mounted pool lights are super thin AC12V pool lights, easy to install with two screws for concrete pool.


Main Technical Parameters

Item No.	Light Color	Voltage	Power	IP Grade	Material
UL YC120T-6W	WarmWhite Natural White Cool White Red,Green,Blue White&Blue RGB RGBW	12VAC/DC	6W	Anti-UV Plastic + Fully resin filled	IP68
UL YC190T-10W			10W		
UL YC190T-18W			18W		
UL YC240T-18W			18W		
UL YC240T-24W			24W		
RF YC240T-35W			35W		



New Arrival -Cicada Wing Series (Ultra Thin)



1.5 inch



2 inch



Available for different colors



Stainless steel 316L

This cicada wing series 1.5 inch & 2 inch pool light are super thin AC12V, can fit for concrete pools,fiber glass pools,line pools...etc.



Main Technical Parameters

Item No.	Light Color	Voltage	Power	IP Grade	Material
UL YC120T-6W-1.5/2	WarmWhite Natural White Cool White Red,Green,Blue White&Blue RGB RGBW	12VAC/DC	6W	Anti-UV Plastic + Fully resin filled	IP68
UL YC190T-10W-1.5/2			10W		
UL YC190T-18W-1.5/2			18W		
UL YC240T-18W-1.5/2			18W		
UL YC240T-24W-1.5/2			24W		
UL YC240T-35W-1.5/2			35W		

STEP LIGHT FOR SWIMMING POOL


www.unilight.com.pl

Step Light For Pool



For pool step


Item No.	Light Color	Voltage	Power	IP Grade	Material
UL YC94-3W	WarmWhite Natural White Cool White Red,Green,Blue White&Blue RGB	12VAC/DC	3W	IP68	Anti-UV Plastic + Fully resin filled



2" FITTING LED POOL LIGHT


www.unilight.com.pl

Mushroom Lamp



For 63mm/2 inch Pool Tube

Item No.	Light Color	Voltage	Power	IP Grade	Material
UL YC84-8W	WarmWhite Natural White Cool White Red,Green,Blue White&Blue RGB	12VAC/DC	8W	IP68	Anti-UV Plastic + Fully resin filled



LED ABOVEGROUND POOL LIGHT

www.unilight.com.pl



UL ABG-6W

This light fits the existing water return hole pre-punched by most above ground pool manufacturers and can be installed on new or existing pools. The water return and light fixture are combined in a single, integrated and highly efficient unit. There's no need to cut new holes and risk violating your pool manufacturer's warranty.


Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	Material
UL ABG-6W	WarmWhite Natural White Cool White Blue White&Blue RGB	12VAC/120VAC 230VAC	6W	SMD2835	99PCS	Anti UV Plastic+ Fully resin filled



LED ABOVEGROUND POOL LIGHT

www.unilight.com.pl



UL ABG-YC120P-10W

Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	Material
UL ABG-YC120P-10W	WarmWhite Natural White Cool White Blue White&Blue RGB	AC220V/ 120V	10W	SMD2835	99PCS	Anti UV Plastic+ Fully resin filled



NEW 1-1/2" FITTING LED POOL LIGHT

www.unilight.com.pl

NEW 1-1/2" FITTING LED POOL LIGHT

www.unilight.com.pl


Moonlight Series



UL YC110TP



UL YC110TP-L



These series of LED pool lights are designed to be installed in most of the nozzles on the market, both with 2" external thread (1-1/2" internal thread) and external 2-1/2" thread (2" internal thread). They are suitable for all types of pools.

Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL YC110TP-6W UL YC110TP-L-6W	WarmWhite Natural White Cool White Blue White&Blue RGB	12VAC/DC	6W	SMD2835	72PCS	IP68	Anti-UV Plastic + Fully resin filled
UL YC110TP-12W UL YC110TP-L-12W		12VAC/DC	12W	SMD5730	RGB 54PCS W/B 30PCS		






Moonlight Series



UL YC220TP



UL YC160TP



1

2



Available for different colors

These series of LED pool lights are designed to be installed in most of the nozzles on the market, both with 2" external thread (1-1/2" internal thread) and external 2-1/2" thread (2" internal thread). They are suitable for all types of pools .

Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL YC220TP-252	WarmWhite Natural White Cool White Blue White&Blue RGB RGBW	12VAC/DC	18W	SMD2835	252PCS	IP68	Anti-UV Plastic + Fully resin filled
UL YC220TP-333		12VAC/DC	24W	SMD2835	333PCS		
UL YC220TP-441		12VAC/DC	35W	SMD2835	441PCS		
UL YC160TP-144		12VAC/DC	10W	SMD2835	144PCS		
UL YC160TP-252		12VAC/DC	18W	SMD2835	252PCS		

NEW 1-1/2" FITTING LED POOL LIGHT


www.unilight.com.pl



UL YC110TSS



UL YC110TSS-L



These series of LED pool lights are designed to be installed in most of the nozzles on the market, both with 2" external thread (1-1/2" internal thread) and external 2-1/2" thread (2" internal thread). They are suitable for all types of pools.

Main Technical Parameters							
Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL YC110TSS-6W UL YC110TSS-L-6W	WarmWhite Natural White Cool White Blue White&Blue RGB	12VAC/DC	6W	SMD2835	72PCS	IP68	316L Stainless steel + Fully resin filled
UL YC110TSS-12W UL YC110TSS-L-12W		12VAC/DC	12W	SMD5730	RGB 54PCS W/B 30PCS		



NEW 1-1/2" FITTING LED POOL LIGHT


www.unilight.com.pl



UL YC160TSS




UL YC220TSS



These series of LED pool lights are designed to be installed in most of the nozzles on the market, both with 2" external thread (1-1/2" internal thread) and external 2-1/2" thread (2" internal thread). They are suitable for all types of pools.

Main Technical Parameters								
Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material	
UL YC220TSS-252	WarmWhite Natural White Cool White Blue White&Blue RGB RGBW	12VAC/DC	18W	SMD2835	252PCS	IP68	316L Stainless steel + Fully resin filled	
UL YC220TSS-333		12VAC/DC	24W	SMD2835	333PCS			
UL YC220TSS-441		12VAC/DC	35W	SMD2835	441PCS			
UL YC160TSS-144		12VAC/DC	10W	SMD2835	144PCS			
UL YC160TSS-252		12VAC/DC	18W	SMD2835	252PCS			




NEW 1-1/2" & 2" FITTING LED POOL LIGHT

www.unilight.com.pl



These series of LED pool lights are designed to be installed in most of the nozzles on the market, both with 2" external thread (1-1/2" internal thread) and external 2-1/2" thread (2" internal thread). They are suitable for all types of pools.

Main Technical Parameters						
Item No.	Light Color	Voltage	Power	LED Type	IP Grade	Material
UL YC50-8W	WarmWhite Natural White Cool White Blue White&Blue RGB	12VAC/DC	8W	CREE	IP68	Anti-UV Plastic + Fully resin filled
UL YC50-12W		12VAC/DC	12W	CREE		



NEW 1-1/2" & 2" FITTING LED POOL LIGHT

www.unilight.com.pl



These series of LED pool light are designed to be installed in the external 2" thread(2" internal thread) nozzles on the market. They are suitable for concrete pools, fiber glass pools, etc...

Main Technical Parameters							
Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL YC100-6W(1.5")	WarmWhite Natural White Cool White Blue White&Blue RGB	12VAC/DC	6W	SMD2835	99pcs	IP68	Anti-UV Plastic + Fully resin filled
UL YC100-6W(2")		12VAC/DC	6W	SMD2835	99pcs		
UL YC100C-6W(1.5")		12VAC/DC	6W	SMD2835	99pcs		
UL YC100C-6W(2")		12VAC/DC	6W	SMD2835	99pcs		




These series of LED pool lights are designed to be installed in most of the nozzles on the market, both with 2" external thread (1-1/2" internal thread) and external 2-1/2" thread (2" internal thread). They are suitable for all types of pools.

Main Technical Parameters							
Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL YC100-6W(1.5")	WarmWhite Natural White Cool White Blue White&Blue RGB	12VAC/DC	6W	SMD2835	99pcs	IP68	Anti-UV Plastic + Fully resin filled
UL YC100-6W(2")		12VAC/DC	6W	SMD2835	99pcs		
UL YC100C-6W(1.5")		12VAC/DC	6W	SMD2835	99pcs		
UL YC100C-6W(2")		12VAC/DC	6W	SMD2835	99pcs		

RESIN FILLED LED SURFACE MOUNTED POOL LIGHT

www.unilight.com.pl




These series LED surface mounted pool lights are designed for swimming pools, fountains, ponds, lakes...

Main Technical Parameters							
Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL YC290C YC240P YC295C-252	WarmWhite Natural White Cool White Blue White&Blue RGB RGBW	12VAC/DC	18W	SMD2835	252PCS	IP68	Anti-UV Plastic + Fully resin filled
UL YC290C YC240P YC295C-333		12VAC/DC	24W	SMD2835	333PCS		
UL YC290C YC240P YC295C-441		12VAC/DC	35W	SMD2835	441PCS		
UL YC290C YC240P YC295C-630		12VAC/DC	42W	SMD2835	630PCS		

RESIN FILLED LED SURFACE MOUNTED POOL LIGHT

www.unilight.com.pl




These series LED surface mounted pool lights are designed for swimming pools, fountains, ponds, lakes...

Main Technical Parameters							
Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL YC230P-252	WarmWhite Natural White Cool White Blue White&Blue RGB RGBW	12VAC/DC	18W	SMD2835	252PCS	IP68	Anti-UV Plastic + Fully resin filled
UL YC230P-333		12VAC/DC	24W	SMD2835	333PCS		
UL YC230P-441		12VAC/DC	35W	SMD2835	441PCS		
UL YC230P-630		12VAC/DC	42W	SMD2835	630PCS		
UL YC230P-444		12VAC/DC	35W	SMD2835	444PCS		

Accessories:





This Series can be installed with wet niche fixtures or mounted without bracket

Main Technical Parameters							
Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL 003C-252	WarmWhite Natural White Cool White Blue White&Blue RGB RGBW	12VAC/DC	18W	SMD2835	252PCS	IP68	Anti-UV Plastic + Fully resin filled
UL 003C-333		12VAC/DC	24W	SMD2835	333PCS		
UL 003C-441		12VAC/DC	35W	SMD2835	441PCS		
UL 003C-630		12VAC/DC	42W	SMD2835	630PCS		
UL YC150-6W		12VAC/DC	6W	SMD2835	99PCS		
UL YC150-10W		12VAC/DC	10W	SMD2835	99PCS		



UL 003C:

Installation compatible with following wet niche fixtures:

Pentair:620004,78210200 thru 700, 78210401,79206700
Hayward DuraNiche:SP0600U
Jandy Pro Series:PLNICLRG,PLNICVFLRG,SSNICLRG1R,
SSNICELRG1S
Sta-Rite:05161-2352 thru 2369,05163-2395 thru 2396

UL YC150:


Installation compatible with following wet niche fixtures:

Pentair:78241100,78242200,78242300,78243100 thru 300,
7824100 thru 300,79206600 Hayward DuraNiche:SP0601U
Jandy Pro Series:PLNICS,SSNICS
Sta-Rite:05166-1017 thru 1034,05167-1035 thru 1037



These series LED surface mounted pool lights are designed for swimming pools, fountains, ponds, lakes...

Main Technical Parameters							
Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL YC280C-252	WarmWhite Natural White Cool White Blue White&Blue RGB RGBW	12VAC/DC	18W	SMD2835	252PCS	IP68	Anti-UV Plastic + Fully resin filled
UL YC280C-333		12VAC/DC	24W	SMD2835	333PCS		
UL YC280C-441		12VAC/DC	35W	SMD2835	441PCS		
UL YC280C-630		12VAC/DC	42W	SMD2835	630PCS		



RESIN FILLED LED SURFACE MOUNTED POOL LIGHT

www.unilight.com.pl




RESIN FILLED LED SURFACE MOUNTED POOL LIGHT

www.unilight.com.pl



These series LED surface mounted pool lights are designed for swimming pools, fountains, ponds, lakes...

Main Technical Parameters							
Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL YCH01-252	WarmWhite Natural White Cool White Blue White&Blue RGB RGBW	12VAC/DC	18W	SMD2835	252PCS	IP68	Anti-UV Plastic + Fully resin filled
		12VAC/DC	24W	SMD2835	333PCS		
		12VAC/DC	35W	SMD2835	441PCS		
		12VAC/DC	42W	SMD2835	630PCS		
		12VAC/DC	10W	SMD2835	144PCS		
		12VAC/DC	18W	SMD2835	252PCS		
Main Technical Parameters							
UL YC120P-6W UL YC120SS-6W	WarmWhite Natural White Cool White Blue White&Blue RGB	12VAC/DC	6W	SMD2835	99PCS	IP68	Anti-UV Plastic + Fully resin filled
UL YC120P-10W UL YC120SS-10W		12VAC/DC	10W	SMD2835	99PCS		






UL YC160P



UL YC160P-N



These series LED surface mounted pool lights are designed for swimming pools, fountains, ponds, lakes...

Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material		
UL YC160P-144	WarmWhite Natural White Cool White Blue White&Blue RGB	12VAC/DC	10W	SMD2835	144PCS	IP68	Anti-UV Plastic + Fully resin filled		
UL YC160P-N-144									
UL YC160P-252		12VAC/DC	18W	SMD2835	252PCS				
UL YC160P-N-252									



Accessories: For different pools



FB01

PVC/Liner pool



FB02



Fiberglass pool



ACS01



ACS02



ACS03



RESIN FILLED LED SURFACE MOUNTED POOL LIGHT

www.unilight.com.pl



These series LED surface mounted pool lights are designed for swimming pools, fountains, ponds, lakes...

Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL YC300SS/270SS-252	WarmWhite Natural White Cool White Blue White&Blue RGB RGBW	12VAC/DC	18W	SMD2835	252PCS	IP68	316L Stainless steel+Fully resin filled
UL YC300SS/270SS-333		12VAC/DC	24W	SMD2835	333PCS		
UL YC300SS/270SS-441		12VAC/DC	35W	SMD2835	441PCS		
UL YC300SS/270SS-630		12VAC/DC	42W	SMD2835	630PCS		
UL YC230SS-10W	WarmWhite Natural White Cool White Blue White&Blue RGB	12VAC/DC	10W	SMD2835	144PCS	IP68	316L Stainless steel+Fully resin filled
UL YC230SS-18W		12VAC/DC	18W	SMD2835	252PCS		



RESIN FILLED LED SURFACE MOUNTED POOL LIGHT


www.unilight.com.pl




These series LED surface mounted pool lights are designed for swimming pools, fountains, ponds, lakes...

Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL YC150SS-6W	WarmWhite Natural White Cool White Blue White&Blue RGB	12VAC/DC	6W	SMD2835	99PCS	IP68	1.5mm thickness 316L Stainless steel + Fully resin filled
UL YC150SS-10W		12VAC/DC	10W	SMD2835	99PCS		
UL YC150SS-15W		12VAC/DC	15W	SMD2835	99PCS		
UL YC210SS-10W		12VAC/DC	10W	SMD2835	144PCS		
UL YC210SS-18W		12VAC/DC	18W	SMD2835	252PCS		
UL YC260SS-252		12VAC/DC	18W	SMD2835	252PCS		
UL YC260SS-333		12VAC/DC	24W	SMD2835	333PCS		
UL YC260SS-441		12VAC/DC	35W	SMD2835	441PCS		
UL YC260SS-630		12VAC/DC	42W	SMD2835	630PCS		

Ultra Thin Resin Filled

Main Technical Parameters							
Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL 003B-252	WarmWhite Natural White Cool White Red,Green,Blue White&Blue RGB RGBW	12VAC/DC	18W	SMD2835	252PCS	IP68	Anti-UV Plastic + Fully resin filled
UL 003B-333			24W	SMD2835	333PCS		
UL 003B-441			35W	SMD2835	441PCS		
UL 003B-630			42W	SMD2835	630PCS		

Installation:

RF YC001-S



UL YC300-S

**Suitable for
concrete pools, liner pools..etc**



Parameter

- 1.Material:Plastic/Stainless steel face ring + Plastic body
- 2.Size:D270*H91mm
- 3.Gross Weight:12KGS/CTN
- 4.Packing:10PCS/CTN
- 5.Carton size:64*33*50cm



LED PAR56 BULBS

www.unilight.com.pl



The PAR56 bulb must be installed inside pool niche
And can't be operated out of water for over 15 min.


Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Housing
UL PAR56-252	WarmWhite Natural White Cool White Blue White&Blue RGB RGBW	12VAC/DC	18W	SMD2835	252PCS	IP68	Thick Glass
UL PAR56-333		12VAC/DC	24W	SMD2835	333PCS		
UL PAR56-441		12VAC/DC	35W	SMD2835	441PCS		
UL PAR56-PC-20	White	12VAC/DC	20W	SMD5730	48PCS	IP68	Anti-UV Plastic
UL PAR56-PC-252	WarmWhite Natural White Cool White Blue White&Blue RGB RGBW	12VAC/DC	18W	SMD2835	252PCS		
UL PAR56-PC-333		12VAC/DC	24W	SMD2835	333PCS		
UL PAR56-PC-441		12VAC/DC	35W	SMD2835	441PCS		



POOL LIGHT NICHE

www.unilight.com.pl




UL-YC001

UL YC001-V

Suitable for
concrete pools, liner pools..etc

Parameter

1. Material: Plastic/Stainless steel face ring+Plastic body
2. Niche Size: D280*H160 mm
3. Gross Weight: 13.5KG/CTN
4. Packing: 4PCS/CTNS
5. Carton Size: 73*32*33 cm
6. Standard Wire Length: 2Meter



CONTROLLER & TRANSFORMER FOR POOL LIGHTS

www.unilight.com.pl

CONTROLLER



UL CTR02-100H, UL CTR02-150H



UL CTR02-100L , UL CTR02-150L, UL CTR02-300L



APP TUYA or Smart Life WIFI Synchronous controller (12VAC, 2wires)



UL CTR01



UL N1E



Remote controller(optional)

WIFI Synchronous controller (12VAC, 2wires)



FUT27/37



FUT20



WF100

External controllers (12V-24VDC,4 wires)

AC220/110V - 12VAC Transformer



IP68 AC12V Waterproof LED Power Supply Series(10W-600W)

AC220/110V - 12VDCTransformer



IP67 Waterproof LED Power Supply Series (10W-350W)

LED UNDERWATER SPOTLIGHT

www.unilight.com.pl



Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL SD85-3W	WarmWhite Natural White Cool White Red,Green,Blue White&Blue RGB	12V/24VAC/DC	3W	HP 1W	3PCS	IP68	Full 304 stainless steel
UL SD85-6W		12V/24VAC/DC	6W	HP 3W	3PCS		
UL SD95-3W		12V/24VAC/DC	3W	HP 1W	3PCS		
UL SD95-6W		12V/24VAC/DC	6W	HP 3W	3PCS		



Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL SD145-9W	WarmWhite Natural White Cool White Red,Green,Blue White&Blue RGB	12V/24VAC/DC	9W	HP 1W	9PCS	IP68	Full 304 stainless steel
UL SD170-12W		12V/24VAC/DC	12W	HP 1W	12PCS		
UL SD190-15W		12V/24VAC/DC	15W	HP 1W	15PCS		

Note: 3 types of bracket for optional:



LED UNDERWATER SPOTLIGHT

www.unilight.com.pl



Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL SD215-18W	WarmWhite Natural White Cool White Red,Green,Blue RGB	12V/24VAC/DC	18W	HP 1W	18PCS	IP68	Full 304 stainless steel
UL SD240-24W	Red,Green,Blue RGB	12V/24VAC/DC	24W	HP 1W	24PCS		



Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL SD300-36W	WarmWhite Natural White Cool White Red,Green,Blue RGB	12V/24VAC/DC	36W	HP 1W	36PCS	IP68	Full 304 stainless steel

LED FOUNTAIN LIGHT

www.unilight.com.pl



These Series are conceived for underwater illumination of fountains and water gardens.


Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material	Nozzle φ
UL SDH150-6W	WarmWhite Natural White Cool White Red,Green,Blue White&Blue RGB	12V/24VAC/DC	6W	HP 1W	6PCS	IP68	Full 304 stainless steel	27mm
UL SDH170-9W		12V/24VAC/DC	9W	HP 1W	9PCS			35mm
UL SDH170-18W		12V/24VAC/DC	18W	HP 3W	9PCS			35mm
UL SD180-12W		12V/24VAC/DC	12W	HP 1W	12PCS			42mm



Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material	Nozzle φ
UL SDH220-12W	WarmWhite Natural White Cool White Red,Green,Blue White&Blue RGB	12V/24VAC/DC	12W	HP 1W	12PCS	IP68	Full 304 stainless steel	51mm
UL SDH220-15W		12V/24VAC/DC	15W	HP 1W	15PCS			51mm
UL SDH220-24W		12V/24VAC/DC	24W	HP 3W	12PCS			51mm
UL SD230-18W		12V/24VAC/DC	18W	HP 1W	18PCS			65mm



LED FOUNTAIN LIGHT

www.unilight.com.pl



Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material	Nozzle φ
UL SDH210-9W	WarmWhite Natural White Cool White Red,Green,Blue White&Blue RGB	12V/24VAC/DC	9W	HP 1W	9PCS	IP68	Full 304 stainless steel	35mm
UL SDH250-12/15W		12V/24VAC/DC	12/15W	HP 1W	12/15PCS			51mm
UL SDH280-12/15W		12V/24VAC/DC	12/15W	HP 1W	12/15PCS			51mm



Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material	Nozzle φ
UL SDH135-6W	WarmWhite Natural White Cool White Red,Green,Blue White&Blue RGB	12V/24VAC/DC	6W	HP 1W	6PCS	IP68	Full 304 stainless steel	27mm
UL SDH160-9W		12V/24VAC/DC	9W	HP 1W	9PCS			35mm
UL SDH170-12W		12V/24VAC/DC	12W	HP 1W	12PCS			42mm



LED RECESSED UNDERWATER/UNDERGROUND LIGHT

www.unilight.com.pl




Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL MD190-12W/15W	WarmWhite Natural White Cool White Red,Green,Blue White&Blue RGB	12V/24V AC/DC	12/15W	HP 1W	12/15PCS	IP68	304 stainless steel
UL MD210-15W/18W		110V/220V AC	15/18W	HP 1W	15/18PCS		

Note: We can customize upon requirements .For more models ,please contact us freely with your inquiries .





Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL MD42-1W	WarmWhite Natural White Cool White Red,Green,Blue	12V/24V AC/DC 110V/220V AC	1W	HP 1W	1PC	IP68	304S/S Or 316S/S
UL MD52-1W			1W	HP 1W	1PC		
UL MD52-3W			3W	HP 3W	1PC		
UL MD62-1W			1W	HP 1W	1PC		
UL MD62-3W			3W	HP 3W	1PC		



Main Technical Parameters

Item No.	Light Color	Voltage	Power	LED Type	LED QTY	IP Grade	Material
UL MD75-3W	WarmWhite Natural White Cool White Red,Green,Blue White&Blue RGB	12V/24V AC/DC 110V/220V AC	3W	HP 1W	3PCS	IP68	304 stainless steel
UL MD100-3W			3W	HP 1W	3PCS		
UL MD100-9W			9W	HP 3W	3PCS		
UL MD150-6W			6W	HP 1W	6PCS		
UL MD150-9W			9W	HP 1W	9PCS		
UL MD150-12W			12W	HP 3W	12PCS		